



تعميم رقم ١٦/٢١ المحافظات المديرية التعليم الثانوي والمناطق التربوية في المحافظات بشأن تركيب كاميرات مراقبة في المراكز المعتمدة لإجراء الامتحانات الرسمية للشهادة المتوسطة وشهادة الثانوية العامة بفروعها الأربعة للعام 2019

في اطار التحضيرات الإدارية واللوجيستية التي تقوم بها دائرة الامتحانات الرسمية في المديرية العامة للتربية والتي تساهم في تنظيم العمل وحسن سيره في مراكز الامتحانات،

وحرصاً على تأمين الجو الملائم والهادئ للتلامذة المرشحين لإمتحانات الشهادة المتوسطة والثانوية العامة بفروعها الأربعة للعام 2019، وحفاظاً على حقوقهم كمرشحين ومعرفة واجباتهم.

ومن أجل تمكين رؤساء المراكز والمراقبين العامين والمراقبين من تأدية مهامهم بكل دقة وأمانة،

يُطلب من المناطق التربوية في المحافظات القيام بما يلي:

1- اجراء استدراج عروض لتركيب كاميرات مراقبة مع لوازمها في كل غرفة من مراكز الامتحانات الرسمية في المدارس والثانويات الرسمية وفق الأصول، وفق مواصفات فنية وشروط أخرى مبينة في الجدول المرفق بهذا التعميم، وذلك في مهلة أسبوع من تاريخ تبلغكم اياه.

- 2- تتولى كل مدرسة أو ثانوية تسديد ثمن الكاميرات التي جرى تركيبها لديها من صندوقها الخاص وفق التالم.
- أ في حال عدم توفر اعتماد بالقيمة المطلوبة في موازنة المدرسة او الثانوية لهذه الغاية يسمح لها بالنقل من احتياط الموازنة او النقل من بنود اخرى .
- ب- في حال عدم توفر الاموال اللازمة للقيمة المطلوبة تتولى مديرية التعليم الثانوي او المنطقة التربوية المعنية تأمين الاموال وفق الاصول المعتمدة ادارياً وقانونياً.
- 3- تتولى دائرة الامتحانات بالتنسيق مع وحدة المعلوماتية في المديرية العامة للتربية الاشراف على تركيب الكاميرات ومراقبة حسن عمل الاجهزة على ان يوضع محضراً بهذا الشأن.
  - 4- تستكمل الإجرات المتعلقة بالاستلام وفق الانظمة المعمول بها لهذه الغاية .
- 5- تشكل لجنة من قبل وزير التربية والتعليم العالي لمتابعة موضوع استدراج العروض مع المناطق التربوية.

6- يعمل بهذا التعميم فور صدوره ./.
ادر COMPUTER العالي الدير العام للتربية والتعليم العالي الدير العام للتربية والتعليم العالي الدير العام للتربية العالي الدير العام للتربية العالي الدير العام للتربية العالم الدير العام العالي الدير العام العام الدير العام العام العام العام العام العام العام العام العام

(النموذج رقم "7")

## بيان شروط عروض الأسعار

جانب المنطقة التربوية

الرسمية

				يخ:	مؤسسة: التار	اسم الد
				رقم الهاتف:	المؤسسة:	عنوان
					الموضوع: استدراج عروض شراء كاميرات مراقبة	
					لمرجع: اعلان المنطقة التربوية بتاريخ	1)
			N.		بتقديم عروض أسعار لزوم المدارس والثانويات الرسمية	
	v-		7	To	مواصفات والنوعية والكمية والأسعار المبينة أدناه:	وفقاً لل
السعر	السعر	بلد	الماركة	العدد	الصنف والنوع (1)	الرقم
الإجمالي	الإفرادي	المنشأ	(3)	(2)		
(6)	(5)	(4)				
				= overall Nb of exam rooms + Nb of Exam centers	Resolution: 4MP (2560 x 1440 @ 25 fps) Shutter Speed: 1/3 s to 1/100,000 s Min. Illumination: Color: 0.01 Lux, 0 Lux with IR Automatic Gain Control (AGC): Yes Lens: 2.8mm (Horizontal FOV 100°) Adjustment: 2 axis Wide Dynamic Range: 120 dB Digital Noise Reduction: 3D IR Range: 30m Video Compression: H265/H264 Streaming: Dual Stream (Main Stream, Sub Stream) System Compatibility: ONVIF (Profile S) Communication Interface: 1 RJ45 10/100 Mbps Protocols: HTTP / FTP / SMTP / UPnP / SNMP / DNS / DDNS / NTP / RTSP / TCP / UDP / DHCP Operating Conditions: -20°C~50°C Power Supply: DC 12 V ± 25%, POE Protection: IP66 Certification (minimum 2 of 3): CE, UL or FCC	
				= Nb of exam centers	Cabinet Monitoring Camera: Form Factor: Fixed Dome, Cable Free design Resolution: 4MP (2560 x 1440 @ 25 fps) Shutter Speed: 1/3 s to 1/100,000 s Min. Illumination: Color: 0.05 Lux, B/W: 0.01 Lux, 0 Lux with IR Automatic Gain Control (AGC): Yes Lens: 2.8mm (Horizontal FOV 101°) Adjustment Angle: Pan: 0 - 355° Tilt: 0 - 75° Rotate: 0 - 355° Wide Dynamic Range: 120 dB Digital Noise Reduction: 3D IR Range: 30m	

						· 3
					Video Compression: H265/H264	——————————————————————————————————————
				E	Streaming: Dual Stream (Main Stream, Sub Stream)	,
					System Compatibility: ONVIF (Profile S)	
†					Communication Interface: 1 RJ45 10/100 Mbps	
					On Board Storage: Built in micro SD card slot	
1					Protocols: HTTP / FTP / SMTP / UPnP / SNMP / DNS / DDNS	
				9	/NTP/RTSP/TCP/UDP/DHCP	
					Automatic Network Replenishment: Yes	61
1 2 2		-			Operating Conditions: -30°C~50°C	
	. 19				Power Supply: DC 12 V ± 25%, POE	
					Weather proof: IP66	
				3 9	Impact Protection: IK10	
					Certification (minimum 2 of 3): CE, UL or FCC	
				=	Bidder to add 1 SD card 64GB to be put in the camera	W
	4 .			= To be	NVR 16 Ch:	
				acquired	IP video input: 16 cameras with 4MP resolution can be	
		1		by the	connected	8
				schools	Mobile Software: IOS and android	
		D: 05				E 9
				who have	Video Output: HDMI, VGA, Audio output	a gave a
				15 exam	Decoding Format: H.265/H.264	
				rooms	Recording Resolution: 8MP/6MP/5MP/4MP/3MP	8
				and less	Multi display: 16	10 G
	E 15 year 15				Incoming Bandwidth: Supplied NVR should be able to support	= 8
10					the bandwidth of all the possible to attach cameras with 4MP	
					resolution	# 5,201 # p 200
	100	. 17:		5	System Compatibility: ONVIF (Profile S)	
		. a		0 100	Storage: The NVR should have at least two SATA HDD bays	50
1 1		1			Scheduled record option (continuous and motion detection)	5
					PoE: at least 16 independent PoE interfaces	2 8
					USB Interface: 2 x USB 2.0	
1 N S					Network Interface: 1 x 10/100/1000Mbps Ethernet interface	
		100			Protocols: TCP / HTTP / UPnP / DHCP / DDNS / FTP / NTP /	15 EE
					SMTP/SADP/SNMP	0 11 =
	7, 80		Ball	a = 17	Automatic Network Replenishment: Yes	
			1 1		Language: English, French	
		lat .			Power Supply: 100 ~ 240V AC, 50 ~ 60 Hz	5 t
						4, 7 2
			"		Certification (minimum 2 of 3): UL, CE, FCC	8 , 8
					Management: The NVR should be able to manage the	
				2 2 11	connected cameras	a 41
		=		10: 10	The NVRs Should be managed via a supplied Central	
	1974			e = 22	Management System deployed at the Official exams center	
					operation room in Bir Hasan.	
	,		100	= To be	NVR 32 Ch:	25/07 11 77
		1		acquired	IP video input: 32 cameras with 4MP resolution can be	
				by the	connected	
				schools	Mobile Software: IOS and android	its o
				who have	Video Output: HDMI, VGA, Audio output	
(9				16 exam	Decoding Format: H.265/H.264	
	20 35			rooms	Recording Resolution: 8MP/6MP/5MP/4MP/3MP	
2 7	2		3 %	and more	Multi display: 4 – 16 – 32	18
E 2					Incoming Bandwidth: Supplied NVR should be able to support	39.75
					the bandwidth of all the possible to attach cameras with 4MP	
6					resolution	
8				i		
					System Compatibility: ONVIF (Profile S)  Storage: The NVP should have at least two SATA HDD have	
				4	Storage: The NVR should have at least two SATA HDD bays	
E .					Scheduled record option (continuous and motion detection)	
395					USB Interface: 2 x USB 2.0	
	\$				Network Interface: 1 x 10/100/1000Mbps Ethernet interface	

						1
	4		= = =		Protocols: TCP / HTTP / UPnP / DHCP / DDNS / FTP / NTP /	,
		İ		,	SMTP / SADP / SNMP	
		100			Automatic Network Replenishment: Yes	
			28	7	Language: English, French	-
	A				Power Supply: 100 ~ 240V AC, 50 ~ 60 Hz	
				0		
		1			Certification (minimum 2 of 3): UL, CE, FCC	
		1			Management: The NVR should be able to manage the	
					connected cameras	-
					The NVRs Should be managed via a supplied Central	= "
		1			Management System deployed at the Official Exams center	
					operation room in Dis Hesse	
		<del>                                     </del>		77 . 1	operation room in Bir Hasan.	
				For the	PoE switch:	200
	# #			schools	A layer 2 PoE switch with 24 ports 10/100Mbps and 2 ports	
				who has	100/1000Mbps, with enough power to handle all the supplied	
				16 and	cameras should be supplied.	-
		1		more	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
		1 2				
	12 22		1150 <sub>y</sub>	exam		
				rooms; to		
				be		
				acquired		
	- a		* * *	according		2 2
				to school		
				need	8 g	
100			1.7	=2 x Nb	Surveillance Hard Disk Drive:	
			100	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
		100		of centers	Capacity 8TB	
					Rotational Speed: 7200rpm	
				Total N	Form factor: 3.5 inch	
					Cache Memory: 256MB	
	P. 1		3 4 35 5	= Nb of	UPS:	<b>-</b>
			ya" in		Output power: 1.5 kVA / 1KW	
			0.0	exam		
				centers	Input Range: 210-240 VAC	
				Collection of the collection	Nominal Output Voltage: 220V	
1.000					Output Voltage Distortion: Less than 5% at full load	
	1000			= total	Cabinet:	
				Nb of	Wall Mount Cabinet 60 x 60	
				exam	12U mounting profiles front and rear	10 3
	1.0			centers	Front Door: Glass or steel plain door	4
				centers		
					Cabinet unique front door lock	
					1 Cooling Fan	12.5%
	F 188	1			Removable side panels	
		1			1 U Cable organizer	
	W 16 00				Power Distribution Unit 8 way 16 A	
				= total	Screen:	
		1 -	V 10 1	Nb of	Screen size at least 32" HD LED (16:9 ratio) 1920 x 1080	
				100		
4	-			exam	Supports VGA with HDMI Interface	
	2			centers	Contrast Ratio: 1000:1	P 6 B
					Should be connected via HDMI to the NVR of item 2 with	
			-	-	Display connectivity cables provided.	
= _					Labor:	1
					The supplier shall handle all the work required to pull and label	B 62
		1				
					the network cables from each camera. Network cables (3M,	
		1			Leviton, R&M, Legrand, Belden) which should be Category 6;	
					no cables should be pulled visibly, cache cables shall be used	
		1	1		to cover them. All required patch cords should be added to the	
		insa s			offer in order for the system to work and connect it to the	
		1	18			
			1 a" a	- a	official exam center operation control room through internet or	
			17	10 🛪 8	private network using the supplied Central Management System	1
	1		1	Etc. e. e.	deployed at the Official exams center operation room in Bir	1

	Hasan in a secure way. In addition, power cables should be arranged if needed to provide the required power supply for the equipment to work.			
	Warranty/Maintenance: A 3 years' warranty is required on all supplied equipment. Maintenance teams shall be ready to provide support and intervene within 30 min at the maximum during the exam phase.			
القيمة الإجمالية	مدة العرض صالحة حتى تاريخ: / / للحظة: (1) و(2) و(3) و(4) خاص بالمنطقة . (5) و(6) خاص بالمؤسسة.			

	وثيقة تبليغ المؤسسات	
		جانب مؤسسة:
ـــــــــــــــــــــــــــــــــــــ		علمكم المنطقة التربوية
	سريتها، وذلك في مهلة أقصاها /	مقفل والمختوم بهدف الحفاظ على
,— <u>/</u> -	ماعة _ , من يوم _ الواقع فيه ـ / .	روص المشاركة في هذه الجلسة.
		لاحظة:
	عن هذا التبليغ.	. تحتفظ المنطقة التربوية بنسخة
	التبليغ بكتاب الموافقة على الشراء.	
تاريخ التبليغ	التوقيع	خاتم الؤسسة